

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Drager									
Drager Air Boss Evolution Plus PSS 100	30 Min 2216 PSI	6.7" Dia X 23.4" Carleton	EZ-Loc Fixed Clamp	A B	2 2	S S	Yes Yes		
Drager Air Boss Evolution Plus PSS 100	30Min 2216 PSI Alum- Flat Bottom	6-13/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Drager Air Boss Evolution Plus PSS 100	30 Min 4500 PSI	5-5/16"D X 23" Carleton	EZ-Loc Fixed Clamp	A B	2 2	S S	Yes Yes		
Drager Air Boss Evolution Plus PSS 100	45 Min 4500 PSI	6.5" D X 22" Carleton	EZ-Loc Fixed Clamp	B	2	S	Yes		
Drager Air Boss Evolution Plus PSS 100	60 Min 4500 PSI	6.8" D X 25" Carleton	EZ-Loc Fixed Clamp	B	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Drager (Con't)									
Drager Air Boss Evolution	30 Min 2216 PSI	6.7" Dia X 23.4" Carleton	EZ-Loc Fixed Clamp	A B	2 2	S S	Yes Yes		
Drager Air Boss Evolution Plus PSS 100	30Min 2216 PSI Alum- Flat Bottom	6-13/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Drager Air Boss Evolution	30 Min 4500 PSI	5-5/16"D X 23" Carleton	EZ-Loc Fixed Clamp	B	3	L	Yes		
Drager Air Boss Evolution	45 Min 4500 PSI	6.5" D X 22" Carleton	EZ-Loc Fixed Clamp	B	2	S	Yes		
Drager Air Boss Evolution	60 Min 4500 PSI	6.8" D X 25" Carleton	EZ-Loc Fixed Clamp	A	1	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Drager (Con't)									
Drager PSS-7000	30 Min 2216 PSI	6.7" Dia X 23.4" Carleton	EZ-Loc Fixed Clamp	A	2	S	Yes		
				B	2	S	Yes		
Drager PSS-7000	30Min 2216 PSI Alum- Flat Bottom	6-13/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Drager PSS-7000	30 Min 4500 PSI	5-5/16"D X 23" Carleton	EZ-Loc Fixed Clamp	B	3	L	Yes		
Drager PSS-7000	45 Min 4500 PSI	6.5" D X 22" Carleton	EZ-Loc Fixed Clamp	B	2	S	Yes		
Drager PSS-7000	60 Min 4500 PSI	6.8" D X 25" Carleton	EZ-Loc Fixed Clamp	A	1	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
GLOBAL									
Global Safety Pioneer	30 Min 4500 PSI	5.3" D X 23" Carleton	EZ-Loc Fixed Clamp	B	3	L	Yes		
Global Safety Pioneer	45 Min 4500 PSI	6.5" D X 21" Carleton	EZ-Loc Fixed Clamp	B	2	S	Yes		
Global Safety Pioneer	60 Min 4500 PSI	6.9" D X 24-3/4" Carleton	EZ-Loc Fixed Clamp	A	2	S	Yes		
INTERSPIRO									
Interspiro Spiromatic S4	30 Min 4500 PSI	5.4" D X 22" SCI	EZ-Loc Fixed Clamp	B	2	L	Yes		
Interspiro Spiromatic S4	45 Min 4500 PSI	6.3"D X 23" Carleton	EZ-Loc Fixed Clamp	A	2	S	Yes		
Interspiro Spiromatic S4	60Min 4500 PSI	6.9" D X 24-1/2" Carleton	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
ISI-Avon									
ISI Viking DXL	30 Min 4500 PSI	5.4" D X 23-1/4" Carlton	EZ-Loc Fixed Clamp	A	3	L	Yes		
ISI Viking DXL	45 Min 4500 PSI	6.4" D X 23" Carlton	EZ-Loc Fixed Clamp	B	2	S	Yes		
ISI Viking DXL	60Min 4500 PSI	6-7/8" D X 24-3/4" Carlton	EZ-Loc Fixed Clamp	A	2	S	Yes		
ISI (Avon-ISI) Viking Z-7	30 Min 2216 PSI	6-9/16"D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
ISI (Avon-ISI) Viking Z-7	30 Min 4500 PSI	5.3" D X 23-1/4" Carlton	EZ-Loc Fixed Clamp	A	3	L	Yes		
ISI (Avon-ISI) Viking Z-7	45 Min 4500 PSI	6.4" D X 23" Carlton	EZ-Loc Fixed Clamp	B	2	S	Yes		
ISI (Avon-ISI) Viking Z-7	60Min 4500 PSI	6-7/8" D X 24-1/2" Carlton	EZ-Loc Fixed Clamp	A	3	L	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L			
MSA									
MSA Firehawk	30Min 2216 PSI	6.75" D X 22-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Firehawk	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
MSA Firehawk	30Min 3000 PSI	6.75" D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Firehawk	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		
MSA Firehawk	45 Min 4500 PSI Low Profile	6.3" X 23-1/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Firehawk	45 Min 4500 PSI	6.8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Firehawk	60Min 4500 PSI	7.1" D X 24" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L			
MSA (Con't)									
MSA Firehawk M-7	30Min 2216 PSI	6.75" D X 22-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Firehawk M-7	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
MSA Firehawk M-7	30Min 3000 PSI	6.75" D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Firehawk M-7	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		
MSA Firehawk M-7	45 Min 4500 PSI Low Profile	6.3" X 23-1/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Firehawk M-7	45 Min 4500 PSI	6.8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Firehawk M-7	60Min 4500 PSI	7.1" D X 24" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
MSA (Con't)									
MSA Stealth	30Min 2216 PSI	6.75" D X 22-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Stealth	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
MSA Stealth	30Min 3000 PSI	6.75" D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Stealth	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		
MSA Stealth	45 Min 4500 PSI	6.8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	A or B	2	S	Yes		
MSA Stealth	60Min 4500 PSI	7.1" D X 24" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
MSA Firehawk G-1	30Min 2216 PSI	6.75" D X 22-1/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
				B	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
MSA (Con't)									
MSA Firehawk G-1	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
MSA Firehawk G-1	30Min 3000 PSI	6.75" D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
				B	2	S	Yes		
MSA Firehawk G-1	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	L	Yes		
				B	2	L	Yes		
MSA Firehawk G-1	45 Min 4500 PSI Low Profile	6.3" X 23-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
MSA Firehawk G-1	45 Min 4500 PSI	6.8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
				B	2	S	Yes		
MSA Firehawk G-1	60Min 4500 PSI	7.1" D X 24" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott									
Scott AP-50	30Min 2216 PSI	6-9/16"D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott AP-50	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Scott AP-50	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Scott AP-50	45Min 4500 PSI	6.2" D X 23-1/2" SCI	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott AP-50	45Min 4500 PSI	6.32" D X 20.9"	EZ-Loc Fixed Clamp	B	3	S	Probably		
Scott AP-50	45Min 4500 PSI	6-7/8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	3	S	Yes		
Scott AP-50	60Min 4500 PSI	6-7/8"D X 24-3/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott (Con't)									
Scott AP-75	30Min 2216 PSI	6-9/16"D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott AP-75	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Scott AP-75	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Scott AP-75-???	30 Min 5500 PSI	4-15/16" D X 22" L Luxfer	EZ-Loc Fixed Clamp	A	3	L	Yes		
				B	3	L	Yes		
Scott AP-75	45Min 4500 PSI	6.2" D X 23-1/2" SCI	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott AP-75	45Min 4500 PSI	6-7/8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	3	S	Yes		
Scott AP-75	45Min 5500 PSI	6.10"D X 21.9" Luxfer	EZ-Loc Fixed Clamp	A	3	S	Yes		
				B	3	S	Yes		
Scott AP-75	60Min 4500 PSI	6-7/8"D X 24-3/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott (Con't)									
Scott NXG2	30Min 2216 PSI	6-9/16"D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott NXG2	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Scott NXG2	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Scott NXG2	45Min 4500 PSI	6.2" D X 23-1/2" SCI	EZ-Loc Fixed Clamp	A	3	S	Yes		
Scott NXG2	45Min 4500 PSI	6-7/8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	2	S	Yes		
Scott NXG2	Carbon 60Min 4500 PSI	6-7/8"D X 24-3/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott NXG2	Kevlar 60Min 4500 PSI	7-1/8"D X 25-1/4" Luxfer	EZ-Loc Fixed Clamp	A	1	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott (Con't)									
Scott NXG7	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Scott NXG7	30Min 2216 PSI	6-9/16"D X 23-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott NXG7	30Min 2216 PSI Alum- Flat Bottom	6-11/16"D X 24" Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Scott NXG7	45Min 4500 PSI	6.2" D X 23-1/2" SCI	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott NXG7	45Min 4500 PSI	6-7/8"D X 21-1/4" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Scott NXG7	60Min 4500 PSI	6-7/8"D X 24-3/4" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott (Con't)									
Scott X-3	30Min 2216 PSI	6-9/16"D X 23-1/2" L Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott X-3	30Min 2216 PSI Alum Flat Top	x.xx"D X x.xx"L Luxfer							
Scott X-3	30Min 4500 PSI	5.4" D X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	A B	2 2	L L	Yes Yes		
Scott X-3	30Min 4500 PSI w/ Cover	x.xx"D X x.xx"L Luxfer							
Scott X-3	30Min 5500 PSI	X 21-1/2" Luxfer	EZ-Loc Fixed Clamp	A B	3 3	L L	Yes Yes		
Scott X-3	30Min 5500 PSI w/ Cover	x.xx"D X x.xx"L Luxfer							
Scott X-3	45Min 4500 PSI	6.2" D X 23-1/2" L SCI	EZ-Loc Fixed Clamp	A	2	L	Yes		
Scott X-3	45Min 4500 PSI w/ Cover	6.2" D X 23-1/2" L SCI	EZ-Loc Fixed Clamp						
Scott X-3	45Min 4500 PSI	6.8"D X 21-1/4" L Luxfer	EZ-Loc Fixed Clamp	A	1	L	Yes		
Scott X-3	45Min 5500 PSI	6.0" D X 22.25" L Luxfer	EZ-Loc Fixed Clamp	A	2	L	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Scott (Con't)									
Scott X-3	45Min 5500 PSI w/ Cover	x.xx" D X xx.xx" L Luxfer							
Scott X-3	60Min 4500 PSI	6-7/8" D X 24-3/4" L Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott X-3	60Min 4500 PSI w/ Cover	6-7/8" D X 24-3/4" L Luxfer							
Scott X-3	60Min 5500 PSI	6.53" D X 24.5" L Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Scott X-3	60Min 5500 PSI w/cover	x.xx" D X xx.x5" L Luxfer							
Scott X-3	75Min 5500 PSI	7.15" D X 25.5" L Luxfer	EZ-Loc Fixed Clamp	A	1	S	Yes		
Scott X-3	75Min 5500 PSI w/cover	x.xx" D X xx.xx" L Luxfer							

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Survivair									
Sperian (Survivair) Panther	30Min 2216 PSI	6-9/16" D X 23-1/4" Luxfer	Quic-Loc	A	2	S	Yes		
Sperian (Survivair) Panther	30Min 4500 PSI	5.4" D X 21-3/4" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		
Sperian (Survivair) Panther	45Min 4500 PSI	6.25" D X 23" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Sperian (Survivair) Panther	45Min 4500 PSI	6.75" D X 20-3/4" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		
Sperian (Survivair) Panther	60Min 4500 PSI	6.85" D X 24-1/2" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Survivair (Con't)									
Sperian (Survivair) Panther	30Min 2216 PSI	6-9/16" D X 23-1/4" Luxfer	Quic-Loc	A	2	S	Yes		
Sperian (Survivair) Warrior	30Min 4500 PSI	5.4" D X 21-3/4" Luxfer	EZ-Loc Fixed Clamp	A	3	L	Yes		
Sperian (Survivair) Warrior	45Min 4500 PSI	6.25" D X 23" Luxfer	EZ-Loc Fixed Clamp	A	2	S	Yes		
Sperian (Survivair) Warrior	45Min 4500 PSI	6.75" D X 20-3/4" Luxfer	EZ-Loc Fixed Clamp	B	3	L	Yes		
Sperian (Survivair) Warrior	60Min 4500 PSI	6.85" D X 24-1/2" Luxfer	EZ-Loc Fixed Clamp	B	2	L	Yes		

SCBA Fit in EZ-Loc Fixed Top-Clamp Brackets

SCBA Brand, Model	AirCyl Type	AirCyl Dim	Bracket Model	Upper Bracket Location	Bumper Location	Bumper Position	Fit		
		Inches		A, B	1,2,3	S, L	Y, N		
Survivair (Con't)									
Honeywell Sperian (Survivair) Panther	30Min 2216 PSI	6-9/16" D X 23-1/4" Luxfer							
Honeywell Sperian (Survivair) Panther	30Min 4500 PSI	5.4" D X 21-3/4" Luxfer							
Honeywell Sperian (Survivair) Panther	45Min 4500 PSI	6.25" D X 23" Luxfer							
Honeywell Sperian (Survivair) Panther	45Min 4500 PSI	6.75" D X 20-3/4" Luxfer							
Honeywell Sperian (Survivair) Panther	60Min 4500 PSI	6.85" D X 24-1/2" Luxfer							

QLM-U ADJUSTMENT POSITIONS

Position A: Bottle Length 22.625 MIN - 25.250 MAX

Position B: Bottle Length 18.750 MIN - 23.250 MAX

Position C: Bottle Length 18.750 MIN - 23.250 MAX

IN CASE SMALL DIAMETER BOTTLE DOES NOT REACH BUMPER, TURN SPACER BLOCK 180 DEG.

- BOTTLE SHOULD BE FITTED TO BRACKET AS PER INSTRUCTION.
- BACK PLATE MOUNT TO SEAT SO FOOT PLATE IS LEVEL OR CLOSE AS POSSIBLE TO TOP OF SEAT CUSHION.